June 2nd, 2021

2020 National Survey of Children's Health

Screener Frequencies

Child	Age -	Years
-------	-------	-------

Ciliu Age - Tears				
C_AGE_YEARS	Unweighted	%	Weighted	%
0	3,079	3.2%	3,060,879	4.2%
1	3,435	3.6%	3,249,218	4.5%
2	4,788	5.0%	4,025,893	5.5%
3	4,933	5.2%	4,308,827	5.9%
4	5,108	5.4%	4,301,651	5.9%
5	5,131	5.4%	4,324,859	5.9%
6	5,216	5.5%	3,860,715	5.3%
7	5,401	5.7%	3,942,217	5.4%
8	5,411	5.7%	4,093,044	5.6%
9	5,447	5.7%	3,992,626	5.5%
10	5,536	5.8%	4,067,293	5.6%
11	5,642	5.9%	4,330,520	6.0%
12	5,908	6.2%	3,996,637	5.5%
13	6,172	6.5%	4,351,714	6.0%
14	5,827	6.1%	4,070,814	5.6%
15	5,906	6.2%	4,125,592	5.7%
16	6,084	6.4%	4,354,602	6.0%
17	6,011	6.3%	4,318,941	5.9%
Special Health Care Needs Status of Child				
C CSHCN	Unweighted	%	Weighted	%
Special Health Care Needs	19,088	20.1%	14,138,047	19.4%
No Special Health Care Needs	75,947	79.9%	58,637,997	80.6%
·	,		· · · ·	
Child Speak English				
C ENGLISH	Unweighted	%	Weighted	%
Logical skip	16,235	17.1%	14,644,817	20.1%
No valid response	1,793	1.9%	1,772,715	2.4%
Very well	71,228	74.9%	50,994,639	70.1%
Well	4,705	5.0%	4,181,709	5.7%
Not well	802	0.8%	890,470	1.2%
Not at all	272	0.3%	291,694	0.4%
			, , , , , , , , , , , , , , , , , , ,	
Hispanic Origin of Child, Recode				
C HISPANIC R	Unweighted	%	Weighted	%
Hispanic or Latino Origin	13,696	14.4%	18,582,218	25.5%
Not Hispanic or Latino Origin	81,339	85.6%	54,193,826	74.5%
			- , 3,0-0	,0
Imputation Flag for C_HISPANIC_R				
C HISPANIC R IF	Unweighted	%	Weighted	%
Not imputed	94,479	99.4%	72,299,796	99.3%
Imputed	556	0.6%	476,248	0.7%
P. C. C.		2.0,0	,	
Child Needs or Uses Medication Currently				
C_K2Q10	Unweighted	%	Weighted	%
	J. IVI CIGITICU	/0	**C:Pitted	/0

No valid response	181	0.2%	184,885	0.3%
Yes	15,933	16.8%	11,904,390	16.4%
No	78,921	83.0%	60,686,770	83.4%
Child Medication Used or Needed for Health Co	ndition			
C_K2Q11	Unweighted	%	Weighted	%
Logical skip	78,921	83.0%	60,686,770	83.4%
No valid response	314	0.3%	262,260	0.4%
Yes	13,929	14.7%	10,226,111	14.1%
No	1,871	2.0%	1,600,904	2.2%
NO .	1,871	2.070	1,000,904	2.2/0
Child Medication Currently for 12 Months				
C_K2Q12	Unweighted	%	Weighted	%
Logical skip	80,792	85.0%	62,287,673	85.6%
No valid response	413	0.4%	360,505	0.5%
Yes	13,162	13.8%	9,558,543	13.1%
No	668	0.7%	569,322	0.8%
Child Needs or Uses More Medical Care than Ot				
C_K2Q13	Unweighted	%	Weighted	%
No valid response	175	0.2%	150,490	0.2%
Yes	12,181	12.8%	9,243,925	12.7%
No	82,679	87.0%	63,381,629	87.1%
Child Medical Care Used or Needed for Health (
C_K2Q14	Unweighted	%	Weighted	%
Logical skip	82,679	87.0%	63,381,629	87.1%
No valid response	206	0.2%	168,584	0.2%
Yes	10,361	10.9%	7,806,129	10.7%
No	1,789	1.9%	1,419,702	2.0%
Child Medical Care Currently for 12 Months C_K2Q15				
C_K2Q13 Logical skip	Unweighted	0/	Waightad	0/
No valid response	Unweighted	%	Weighted	
No valid response	84,468	88.9%	64,801,331	89.0%
	84,468 248	88.9% 0.3%	64,801,331 211,496	89.0%
Yes	84,468 248 10,048	88.9% 0.3% 10.6%	64,801,331 211,496 7,524,452	% 89.0% 0.3% 10.3%
	84,468 248	88.9% 0.3%	64,801,331 211,496	89.0% 0.3%
Yes	84,468 248 10,048	88.9% 0.3% 10.6%	64,801,331 211,496 7,524,452	89.0% 0.3% 10.3%
Yes No	84,468 248 10,048 271	88.9% 0.3% 10.6%	64,801,331 211,496 7,524,452 238,765	89.0% 0.3% 10.3% 0.3%
Yes No Child Limited Ability C_K2Q16	84,468 248 10,048	88.9% 0.3% 10.6% 0.3%	64,801,331 211,496 7,524,452 238,765 Weighted	89.0% 0.3% 10.3% 0.3%
Yes No Child Limited Ability C_K2Q16 No valid response	84,468 248 10,048 271 Unweighted 158	88.9% 0.3% 10.6% 0.3% % 0.2%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348	89.0% 0.3% 10.3% 0.3%
Yes No Child Limited Ability C_K2Q16 No valid response Yes	84,468 248 10,048 271 Unweighted 158 5,423	88.9% 0.3% 10.6% 0.3% % 0.2% 5.7%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348 4,201,684	89.0% 0.3% 10.3% 0.3% % 0.2% 5.8%
Yes No Child Limited Ability C_K2Q16 No valid response	84,468 248 10,048 271 Unweighted 158	88.9% 0.3% 10.6% 0.3% % 0.2%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348	89.0% 0.3% 10.3% 0.3% % 0.2% 5.8%
Yes No Child Limited Ability C_K2Q16 No valid response Yes	84,468 248 10,048 271 Unweighted 158 5,423	88.9% 0.3% 10.6% 0.3% % 0.2% 5.7%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348 4,201,684	89.0% 0.3% 10.3% 0.3% % 0.2% 5.8%
Yes No Child Limited Ability C_K2Q16 No valid response Yes No	84,468 248 10,048 271 Unweighted 158 5,423	88.9% 0.3% 10.6% 0.3% % 0.2% 5.7%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348 4,201,684	89.0% 0.3% 10.3%
Yes No Child Limited Ability C_K2Q16 No valid response Yes No Child Limited Ability from Health Condition	84,468 248 10,048 271 Unweighted 158 5,423 89,454	88.9% 0.3% 10.6% 0.3% % 0.2% 5.7% 94.1%	64,801,331 211,496 7,524,452 238,765 Weighted 154,348 4,201,684 68,420,012	89.0% 0.3% 10.3% 0.3% % 0.2% 5.8% 94.0%

No valid response	246	0.3%	212,357	0.3%
Yes	4,772	5.0%	3,639,651	5.0%
No	563	0.6%	504,024	0.7%
Child Limited Ability from Health Condition				
C_K2Q18	Unweighted	%	Weighted	%
Logical skip	90,017	94.7%	68,924,036	94.7%
No valid response	263	0.3%	232,654	0.3%
Yes	4,678	4.9%	3,559,012	4.9%
No	77	0.1%	60,342	0.1%
Child Special Therapy				
C K2Q19	Unweighted	%	Weighted	%
No valid response	158	0.2%	165,754	0.2%
Yes	8,304	8.7%	6,613,790	9.1%
No	86,573	91.1%	65,996,500	90.7%
NO	60,575	91.1%	65,996,500	90.7%
Child Special Therapy for Health Condition				
C K2Q20	Unweighted	%	Weighted	%
Logical skip	86,573	91.1%	65,996,500	90.7%
No valid response	194	0.2%	175,536	0.2%
Yes	5,503	5.8%	4,442,457	6.1%
No	2,765	2.9%	2,161,550	3.0%
C_K2Q21	Unweighted	% 94.0%	Weighted 68,158,050	93.7%
Logical skip	89,338			
No valid response	229	0.2%	219,288	0.3%
Yes	5,157	5.4%	4,142,031	5.7%
No	311	0.3%	256,675	0.4%
Child Needs Treatment for Emotion Develo	p Behave			
C_K2Q22	Unweighted	%	Weighted	%
No valid response	179	0.2%	177,415	0.2%
Yes	10,069	10.6%	7,622,162	10.5%
No	84,787	89.2%	64,976,467	89.3%
Child Treatment for Chronic Emotion Devel	•	•		•
C_K2Q23	Unweighted	%	Weighted	%
Logical skip	84,787	89.2%	64,976,467	89.3%
No valid response	224	0.2%	197,729	0.3%
Yes	9,155	9.6%	6,923,162	9.5%
No	869	0.9%	678,686	0.9%
Race of Child, Detailed				
C RACE R	Unweighted	%	Weighted	%
White alone	72,353	76.1%	48,482,769	66.6%
	, 2,333	, 3. ± /0	.5, 152,705	55.570

Black or African American alone	7,614	8.0%	10,137,500	13.9%
American Indian or Alaska Native alone	1,122	1.2%	1,320,798	1.8%
Asian alone	5,159	5.4%	3,545,462	4.9%
Native Hawaiian and Other Pacific Islander alone	862	0.9%	1,468,737	2.0%
Two or More Races	7,925	8.3%	7,820,779	10.7%
	•			
Imputation Flag for C_RACE_R				
C_RACE_R_IF	Unweighted	%	Weighted	%
Not imputed	94,269	99.2%	71,741,879	98.6%
Imputed	766	0.8%	1,034,165	1.4%
Child Sex				
C_SEX	Unweighted	%	Weighted	%
Male	48,871	51.4%	37,192,813	51.1%
Female	46,164	48.6%	35,583,231	48.9%
Terriale	40,104	40.070	33,303,231	40.570
Imputation Flag for C_SEX				
C_SEX_IF	Unweighted	%	Weighted	%
Not imputed	94,867	99.8%	72,637,555	99.8%
Imputed	168	0.2%	138,489	0.2%
Impacca	100	0.270	130,403	0.270
Core Based Statistical Area Status				
CBSAFP_YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	56,141	59.1%	38,537,687	53.0%
Located within a CBSA	36,094	38.0%	32,287,399	44.4%
Located outside a CBSA	2,800	2.9%	1,950,958	2.7%
	_,		_,,,,,,,,,	
State FIPS Code				
FIPSST	Unweighted	%	Weighted	%
Alabama	1,740	1.8%	1,083,863	1.5%
Alaska	1,695	1.8%	179,436	0.2%
Arizona	1,833	1.9%	1,636,730	2.2%
Arkansas	1,620	1.7%	696,968	1.0%
California	1,797	1.9%	8,869,135	12.2%
Colorado	3,492	3.7%	1,253,606	1.7%
Connecticut	1,615	1.7%	725,670	1.0%
Delaware	1,639	1.7%	203,338	0.3%
District of Columbia	1,550	1.6%	127,424	0.2%
Florida	1,609	1.7%	4,221,450	5.8%
Georgia	1,741	1.8%	2,499,634	3.4%
Hawaii	2,132	2.2%	300,079	0.4%
Idaho	1,609	1.7%	448,429	0.6%
Illinois	1,768	1.9%	2,808,736	3.9%
Indiana	1,740	1.8%	1,563,219	2.1%
lowa	1,582	1.7%	719,432	1.0%
Kansas	1,693	1.8%	697,963	1.0%
	•		•	

3

Kentucky	1,731	1.8%	997,916	1.4%
Louisiana	1,743	1.8%	1,083,736	1.5%
Maine	1,475	1.6%	245,139	0.3%
Maryland	1,703	1.8%	1,329,669	1.8%
Massachusetts	1,641	1.7%	1,346,676	1.9%
Michigan	1,545	1.6%	2,137,571	2.9%
Minnesota	1,493	1.6%	1,297,247	1.8%
Mississippi	1,837	1.9%	696,417	1.0%
Missouri	1,675	1.8%	1,367,069	1.9%
Montana	1,913	2.0%	224,792	0.3%
Nebraska	2,497	2.6%	473,730	0.7%
Nevada	1,647	1.7%	689,634	0.9%
New Hampshire	1,553	1.6%	255,392	0.4%
New Jersey	1,755	1.8%	1,931,771	2.7%
New Mexico	1,618	1.7%	472,779	0.6%
New York	1,814	1.9%	3,999,624	5.5%
North Carolina	1,522	1.6%	2,289,136	3.1%
North Dakota	1,746	1.8%	176,182	0.2%
Ohio	1,617	1.7%	2,570,244	3.5%
Oklahoma	1,663	1.7%	950,421	1.3%
Oregon	6,367	6.7%	860,004	1.2%
Pennsylvania	1,439	1.5%	2,620,855	3.6%
Rhode Island	1,439	1.5%	203,394	0.3%
South Carolina		1.9%		1.5%
	1,780		1,108,741	
South Dakota	1,782	1.9%	214,076	0.3%
Tennessee	1,600	1.7%	1,507,974	2.1%
Texas	1,739	1.8%	7,382,207	10.1%
Utah	1,849	1.9%	927,083	1.3%
Vermont	1,687	1.8%	112,912	0.2%
Virginia	1,544	1.6%	1,853,446	2.5%
Washington	1,715	1.8%	1,661,463	2.3%
West Virginia	1,515	1.6%	357,533	0.5%
Wisconsin	3,887	4.1%	1,262,490	1.7%
Wyoming	1,645	1.7%	133,609	0.2%
Primary Household Language				
HHLANGUAGE	Unweighted	%	Weighted	%
No valid response	615	0.6%	589,384	0.8%
English	86,931	91.5%	62,656,112	86.1%
Spanish	4,019	4.2%	6,525,346	9.0%
Other	3,470	3.7%	3,005,203	4.1%
Child Line Number				
LINENUM	Unweighted	%	Weighted	%
1	51,107	53.8%	40,054,913	55.0%
2	30,639	32.2%	22,751,317	31.3%
•		40 -0:		40 - 6 '

10,207

10.7%

7,651,989 10.5%

4	3,082	3.2%	2,317,825	3.2%
And the Charlest of Annual Charles				
Metropolitan Statistical Area Status METRO_YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	27,431	28.9%	8,854,612	12.2%
Metropolitan Statistical Area	55,514	58.4%	56,374,143	77.5%
Not Metropolitan Statistical Area	12,090	12.7%	7,547,289	10.4%
Not Wetropolitan Statistical Area	12,030	12.7/0	7,547,283	10.470
Metropolitan Principal City Status				
MPC YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	22,062	23.2%	3,302,299	4.5%
Metropolitan Principal City	22,440	23.6%	22,557,924	31.0%
Not Metropolitan Principal City	50,533	53.2%	46,915,821	64.5%
Not wetropolitan i inicipal city	30,333	JJ.270	+0,515,621	04.570
Race of Child, Recode, AIAN included.				
Reported for AK, AZ, NM, MT, ND, OK, SD.				
RACEAIAN	Unweighted	%	Weighted	%
Logical skip	82,785	87.1%	68,921,628	94.7%
White alone	9,663	10.2%	2,717,013	3.7%
Black or African American alone	387	0.4%	191,635	0.3%
American Indian or Alaska Native alone	507	0.5%	238,980	0.3%
Other	1,693	1.8%	706,788	1.0%
Race of Child, Recode, Asian included.				
Reported for CA, HI, MA, MD, MN, NJ, NV, NY, V	A, WA.			
RACEASIA	Unweighted	%	Weighted	%
Logical skip	77,794	81.9%	49,497,300	68.0%
White alone	10,521	11.1%	13,710,078	18.8%
Black or African American alone	1,534	1.6%	2,615,579	3.6%
Asian alone	2,326	2.4%	2,091,588	2.9%
Other	2,860	3.0%	4,861,499	6.7%
Race of Child, Recode				
RACER	Unweighted	%	Weighted	%
White alone	72,353	76.1%	48,482,769	66.6%
Black or African American alone	7,614	8.0%	10,137,500	13.9%
Other	15,068	15.9%	14,155,776	19.5%
Sampling Stratum				
STRATUM	Unweighted	%	Weighted	%
1	88,276	92.9%	60,314,198	82.9%
<u>2</u> A	6,759	7.1%	12,461,846	17.1%
The condition of the same	A 11.11 - 5			
The Conditions under Which Land or Buildings	•		144	
TENURE	Unweighted	%	Weighted	%

Owned by you or someone in this household with a				
mortgage or loan? Include home equity loans	66,436	69.9%	45,727,340	62.8%
Owned by you or someone in this household free				
and clear (without a mortgage or loan)?	9,313	9.8%	7,328,105	10.1%
Rented?	18,333	19.3%	18,961,493	26.1%
Occupied without payment of rent?	953	1.0%	759,106	1.0%
Imputation Flag for TENURE				
TENURE_IF	Unweighted	%	Weighted	%
Not imputed	94,391	99.3%	72,201,898	99.2%
Imputed	644	0.7%	574,146	0.8%
Number of Children in Household				
TOTKIDS_R	Unweighted	%	Weighted	%
1	20,468	21.5%	16,705,334	23.0%
2	40,864	43.0%	30,319,346	41.7%
3	21,375	22.5%	16,455,212	22.6%
4+	12,328	13.0%	9,296,152	12.8%
	12,326	15.0%	3,230,132	12.070
	12,320	15.0%	3,230,132	12.670
Survey Year	12,328	13.0%	3,230,132	12.870
Survey Year YEAR	Unweighted	%	Weighted	%